

Quantum operations with special properties

Image processing

- A black and white picture can be stored as an $m \times n$ matrix

$$A = (a_{ij}) \in M_{m,n}$$

- Each entry $a_{ij} \in [0, 1]$ is a "pixel" with a certain grey level.

- A color picture can be encoded store as three matrices

$$A_r, A_b, A_g \in M_{m,n} \text{ using the three baic colors: red, blue, green.}$$

- One may process the image by manipulating the matrix A .

- Some examples:


* Data compression: singular value decomposition.

* Special pattern finding: find some special patterns, say, finding roads, edges, different geographical features.

* Image recognition: comparing a given picture with some given pictures.

* Classification (AI) problems: classify pictures with similarity.

- Question. How does quantum computer help?



Basic question

How to encode $A \in M_{m,n}$ as a quantum state $|v\rangle \in \mathbb{C}^{mn}$?

We can assume $m = 2^p$ and $n = 2^q$. Then we can assume $|v\rangle \in 2^{p+q}$, arranging the entries of first rows, second rows, etc.

Answer Need to find simple unitary U such that $U|0 \cdots 0\rangle = |v\rangle$, equivalently $U|v\rangle = |0 \cdots 0\rangle$.

- For $|v\rangle \in \mathbb{C}^2$, we can use $U \in \mathbf{U}(2)$ such that $U|v\rangle = |0\rangle$.
- For $|v\rangle \in \mathbb{C}^4$, we can find $U_1, U_2, U_3 \in \mathbf{U}(2)$ such that

$$(I_2 \otimes U_1)|v\rangle = (c, 0, s_1, s_2)^t,$$

$$(I_2 \oplus U_2)(c, 0, s_1, s_2)^t = (c, 0, s, 0)^t,$$

$$(U_3 \otimes I_2)(c, 0, s, 0)^t = (1, 0, 0, 0)^t.$$

So, we can use two 0-controlled, one 1-controlled qubit gates.

- For $|v\rangle \in \mathbb{C}^8$, we use $U_1, U_2 \in \mathbf{U}(4), U_0 \in \mathbf{U}(2)$ such that


$$I_2 \otimes U_1|v\rangle = |v_1\rangle = (c, 0, 0, 0, s_1, s_2, s_3, s_4)^t,$$

$$I_4 \otimes U_2|v_1\rangle = (c, 0, 0, 0, s, 0, 0, 0)^t,$$

which can be change to $|000\rangle$ by a 0-controlled gate.

- Let $c_{n,k}$ be the number of k -controlled gates needed for $k = 0, \dots, n-1$. Then $c_{1,0} = 1, (c_{2,0}, c_{2,1}) = (2, 1), (c_{3,0}, c_{3,1}, c_{3,2}) = (2, 1, 0) + (0, 2, 1) + (1, 0, 0) = (3, 3, 1)$.
- In general, $c(n, k) = \binom{n}{k+1}$.

$$(c_{4,0}, c_{4,1}, c_{4,2}, c_{4,3}) = (\binom{4}{1}, \binom{4}{2}, \binom{4}{3}, \binom{4}{4}) = (4, 6, 4, 1)$$



Quantum states with specific images

Question Given $\{|u_1\rangle, \dots, |u_k\rangle\}, \{|v_1\rangle, \dots, |v_k\rangle\} \subseteq \mathbb{C}^n$, does there exist $U \in \mathbf{U}(n)$ such that

$$U|u_j\rangle = |v_j\rangle, \quad j = 1, \dots, k.$$

Answer The two Gram matrices $(\langle u_i | u_j \rangle), (\langle v_i | v_j \rangle) \in M_k$ are equal.

Question Given $\{|u_0\rangle, |u_1\rangle, \dots\} \subseteq \mathbb{C}^n$, does there exist $U \in \mathbf{U}(n)$ such that

$$U|u_j\rangle = |u_{j+1}\rangle, \quad j = 0, 1, 2, \dots$$

Answer The matrix $(\langle u_i | u_j \rangle)_{i,j=0,1,\dots}$ is $(\langle u_j | u_j \rangle)_{i,j=1,2,\dots}$, i.e., the matrix is Toeplitz.

Actually, we only need to check the leading $n \times n$ submatrix, or $k \times k$ submatrix if $\text{span}\{|u_j\rangle : j = 0, 1, \dots\}$ has dimension k .

The image contains several handwritten blue ink annotations:

- A horizontal line with several vertical tick marks, possibly representing a discrete spectrum or a sequence of states.
- A large square with dense diagonal lines, possibly representing a matrix or a specific subspace.
- Handwritten vector notations: $|G_i\rangle \dots |G_n\rangle$ and $\langle u_i | u_j \rangle$.
- Various scribbles and circles, some of which appear to be corrections or additional notes related to the text above.

Results for open systems

Recall that mixed states are density matrices in M_n . A general quantum operation $\Phi : M_n \rightarrow M_m$ is a TPCP maps admitting the operator sum representation

$$\Phi(A) = F_1 A F_1^\dagger + \dots + F_r A F_r^\dagger \quad \text{for all } A \in M_n$$

for some $m \times n$ matrices F_1, \dots, F_r satisfying $F_1^\dagger F_1 + \dots + F_r^\dagger F_r = I_n$.

The following result is due to A. Chefles, R. Jozsa, and A. Winter, 2004.

Theorem Let $\{|u_1\rangle, \dots, |u_k\rangle\} \subset \mathbb{C}^n$ and $\{|v_1\rangle, \dots, |v_k\rangle\} \subset \mathbb{C}^m$. There is a quantum operation $\Phi : M_n \rightarrow M_m$ satisfying

$$\Phi(|u_j\rangle\langle u_j|) = |v_j\rangle\langle v_j| \quad \text{for all } j = 1, \dots, k,$$

if and only if there is a correlation matrix $C = (c_{ij})$ such that

$$(\langle u_i | v_j \rangle) = C \circ (\langle v_i | v_j \rangle),$$

the Schur product (a.k.a. Hadamard or entry-wise product), i.e.,

$$\langle u_i | u_j \rangle = c_{ij} \langle v_i | v_j \rangle \quad \text{for all } 1 \leq i, j \leq k.$$

psd $(\mathbb{C}^n \otimes \mathbb{C}^p)$

$$\rho = \sum_{i=1}^n p_i |u_i\rangle\langle u_i| = \sum_{i=1}^n \lambda_i |\lambda_i\rangle\langle \lambda_i|$$

$$\Phi(|\psi\rangle\langle\psi|) = U |\psi\rangle\langle\psi| U^\dagger$$

$$\begin{pmatrix} \langle u_i | u_i \rangle \\ \vdots \\ \langle u_i | u_j \rangle \\ \vdots \\ \langle u_j | u_i \rangle \\ \vdots \\ \langle u_j | u_j \rangle \end{pmatrix} = \begin{pmatrix} \langle v_i | v_i \rangle \\ \vdots \\ \langle v_i | v_j \rangle \\ \vdots \\ \langle v_j | v_i \rangle \\ \vdots \\ \langle v_j | v_j \rangle \end{pmatrix}$$

$$C = \begin{pmatrix} c_{11} & \dots & c_{1j} & \dots & c_{1k} \\ \vdots & \ddots & \vdots & \ddots & \vdots \\ c_{i1} & \dots & c_{ij} & \dots & c_{ik} \\ \vdots & \ddots & \vdots & \ddots & \vdots \\ c_{k1} & \dots & c_{kj} & \dots & c_{kk} \end{pmatrix}$$



Some general results


In 2012, Z. Huang, C.K. Li, E. Poon and N.S. Sze, obtained some general results for the existence of TPCP map $\Phi(A_j) = B_j$ for $j = 1, \dots, k$, with $\{A_1, \dots, A_k\} \subseteq D_n, \{B_1, \dots, B_k\} \subseteq D_m$. There were results for diagonal matrices and operators by [Li and Y. Poon, 2011], [Hsu, Kuo, Tsai, 2014].

Theorem Let

$$\{A_j = |u_j\rangle\langle u_j| : 1 \leq j \leq k\} \subseteq D_n \text{ and } \{B_1, \dots, B_k\} \subseteq D_m.$$

There is $\Phi : M_n \rightarrow M_m$ such that $\Phi(A_j) = B_j$ for $j = 1, \dots, k$ if and only if there is a purification of $|v_j\rangle\langle v_j|$ of B_j for $j = 1, \dots, k$ such that $\langle u_i | u_j \rangle = \langle v_i | v_j \rangle$.

- The general condition for Φ sending mixed states to mixed states are very technical.
- It depends on the spectral decomposition, solution of certain matrix equations, etc.



More results and questions

- For any $\rho \in D_n, \sigma \in D_m$, the map $A \mapsto (\text{Tr}A)\sigma$ is a TPCP map sending all states to σ .

- Let $A_1, A_2 \in D_n, B_1, B_2 \in D_m$. The condition of the existence of a TPCP map $\Phi: M_n \rightarrow M_m$ such that

$$(\Phi(A_1), \Phi(A_2)) = (B_1, B_2), \text{ i.e., } \Phi(A_1 + iA_2) = B_1 + iB_2$$

is not known.

- For qubit states, we may assume that A_1, A_2 are pure state. Then Φ exists if and only if

$$\text{Tr} \sqrt{A_1^{1/2} A_2 A_1^{1/2}} \leq \text{Tr} \sqrt{B_1^{1/2} B_2 B_1^{1/2}}$$

- Suppose $\{A_1, \dots, A_4\} \subseteq D_2$ are linearly independent. There is a unique linear map satisfying $\Phi(A_j) = B_j$ for $j = 1, \dots, 4$. It is then easy to determine whether Φ is TPCP.

$F(A_1, A_2)$

Fidelity

- Suppose $\{A_1, A_2, A_3\}, \{B_1, B_2, B_3\} \subseteq D_2$ such that

$A_j = |u_j\rangle\langle u_j|$ for $j = 1, 2, 3$, are linearly independent.

Let $|u_3\rangle = \alpha_1|u_1\rangle + \alpha_2|u_2\rangle$, and $\hat{B}_3 = |\alpha_1 u_1\rangle\langle \alpha_2 u_2| + |\alpha_2 u_2\rangle\langle \alpha_1 u_1|$.

Then there is a TPCP map sending A_j to B_j for $j = 1, 2, 3$, if and only if there is $C \in M_2$ such that

$$\text{Tr}(CC^*) = 1 + |\det(C)|^2 \leq 2, \quad \hat{B}_3 = \text{Re}(\sqrt{B_2}C\sqrt{B_1}),$$

$$\text{Tr}\sqrt{B_2}C\sqrt{B_1} = \langle \alpha_1 u_1 | \alpha_2 u_2 \rangle.$$

- Question. Find a simpler condition.
- Current research with Ray-Kuang Lee. Let $\{\rho_0, \rho_1, \dots\} \subseteq D_n$. Determine TPCP maps Φ such that $\Phi(\rho_j) = \rho_{j+1}$ for $j = 0, 1, \dots$.